

# MARCO

PHONE: 215.463.2332  
FAX: 215.334.4990  
E MAIL: MARCOMANUF@AOL.COM

INCH-POUND

A-A-59125/30  
26 September 1997  
SUPERSEDING  
MIL-M-55164/30B  
16 November 1987

## COMMERCIAL ITEM DESCRIPTION SHEET

### MARKER STRIPS, FOR CLASS 38TB TERMINAL BOARDS

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for Class 38TB of MIL-M-55164/30 for all federal agencies.

The requirements for acquiring the product described herein shall consist of this sheet and CID A-A-59125.

#### REQUIREMENTS:

Dimensions and configuration: see Figure 1 and Figure 2.




Figure 1. Terminal Board Marker Strip, Type MSA38TB8.

# MARCO

A-A-59125/30




Figure 2. Terminal Board Marker Strip, Type MSB38TB8.

Table I. Dimensions.

Marker Strip Type Designation	Dimensions	
	A	B
MS_38TB2	1.312	1.641
MS_38TB3	1.750	2.078
MS_38TB4	2.188	2.516
MS_38TB5	2.625	2.953
MS_38TB6	3.062	3.391
MS_38TB7	3.500	3.828
MS_38TB8	3.953	4.266
MS_38TB9	4.391	4.703
MS_38TB10	4.828	5.141
MS_38TB11	5.266	5.594
MS_38TB12	5.703	6.031
MS_38TB13	6.141	6.469
MS_38TB14	6.578	6.906
MS_38TB15	7.016	7.344
MS_38TB16	7.453	7.781
MS_38TB17	7.891	8.219
MS_38TB18	8.328	8.656
MS_38TB19	8.781	9.109
MS_38TB20	9.219	9.547
MS_38TB21	9.656	9.984
MS_38TB22	10.094	10.422
MS_38TB23	10.531	10.859

**MARCO**

PHONE: 215.463.2332

FAX: 215.334.4990

E MAIL: MARCOMANUF@AOL.COM

**NOTES:**

1. Dimensions are in inches.
2. Tolerances on terminal boards up to and including 6 inches in length:  
Dimension "A" + 0.031 to - 0.016  
Dimension "B" + 0.031 to - 0.062
3. Tolerances on terminal boards over 6 inches in length:  
Dimension "A" + 0.047 to - 0.031  
Dimension "B" + 0.047 to - 0.062
4. The drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.
5. Type of mount: bottom only.
6. Numbers shall be marked in contrasting colors to the marker strip.
7. The marker strip must align properly with the associated terminal board for mounting.
8. A single letter shall be inserted in the above type designation to specify the marking style (A, B or C)